



Your bakery is our world.

# Mark 75 Bread Bagger

Small footprint bread bagger designed with straight-line configuration for reduced downtime and easier maintenance.



# DESIGN INNOVATIONS

The high-speed automated Mark 75 Bread Bagger features a maintenance-free, high speed pendulum scoop drive and flusher discharge conveyor for the smoothest loaf transfer available. The advanced drive design handles speeds up to 75 loaves per minute.

## PERFORMANCE

Pendulum-style scoop drive for low vibration and optimal operation. Top scoop level bag pick-up and release motion ensures consistent bagging from 35 to 75 LPM.

## QUALITY


Automatic wicket exchanger allows wicket change without stopping the bagger. Bag over bread scoop system protects bags from crusty loaves minimizing damaged packages.

## RELIABILITY

The pendulum system eliminates costly maintenance of scoop drive gearboxes due to its low rotary actuation resistance.

## SAFETY

The AMF bagger includes basic tunnel conveyor guarding as a standard for optimal operator safety.



Mark 75 Bread Bagger shown with  
Saber 75 Band Slicer

Efficiency Delivered  
Up to 75 LPM

# OTHER ADVANTAGES

- ▼ Corrosion resistant stainless steel frame and guards
- ▼ Optional infeed conveyor phase variator synchronizes the infeed flights to scoop on the fly for maximum flexibility with loaf varieties



Pendulum Scoop Drive



Flusher Action Discharge


- ▼ Pendulum scoop drive ensures low vibration and optimal operation

- ▼ Highly accurate cantilever pneumatic blockade assembly

- ▼ Automatic dual wicket exchange system designed with U-shaped steel wire to hold down empty bag stacks



Automatic Dual Wicket Changer



Optional Infeed Transfer Rollers

- ▼ Discharge belt featuring patented flusher action eliminates the need of a flusher bar providing a smooth product transfer

- ▼ Optional stainless steel electrical panel and operator console with touch screen interface for intuitive operation and recipe management


- ▼ Optional infeed transfer rollers avoid standing loaf on transfer plate

- ▼ Optional extended 36" discharge conveyor


- ▼ Optional bag closure unit and printer

- ▼ Available with different options to suit your product specifications

# DIMENSIONAL DRAWINGS



# LAYOUT HANDING



AMF IS A MARTEL FOOD GROUP COMPANY

AMF's focus on continuous improvement may result in changes to machinery specifications without notice.