


# Saber 75 Band Slicer

Designed for safety and maximum sanitation access, the high-quality bread slicer uses the most reliable blade spacing system for a wide variety of loaves.



# DESIGN INNOVATIONS

With over 50 years of experience in slicing innovation, AMF Saber 75 Band Slicer offers maximum flexibility and reliability for slicing in a continuous flow a variety of breads, from standard loaves to fruited breads. Using electronic synchronization, the Saber 60 Slicer integrates seamlessly with AMF's complete bread packaging systems.

## SAFETY

AMF safety standard includes safety guarded access doors complying with CSA and OSHA regulations. A last loaf pusher ensures operator safety. The broken blade detection system and high efficiency brake motor promptly stop blades in emergency situations.

## SANITATION

Designed with corrosion resistant stainless steel frame and guards. Innovative self-supporting lattice pull-out mechanism option and open frame design maximize access for routine sanitation and maintenance. Motors offer high crumb ingress protection for reliable service.

## QUALITY

Hansaloy heavy-duty lattice mechanism allows the lattice to open evenly, 3/8" up to 1" across the entire width. Multiple blade guide selections to adapt to different product requirements. Automatic hone assembly ensures ultimate slicing quality from standard to fruit breads.

## SIMPLICITY

Easy to adjust, blade tension system reduces blade breakages. Available with a continuous infeed conveyor using high friction bottom and side belt surfaces for smooth operation and lower maintenance.



Saber 75 Band Slicer shown with optional infeed extension conveyor integrated with Mark 75 Bread Bagger


## Precision Slicing Up to 75 LPM

# OTHER ADVANTAGES


- ▼ Flight infeed conveyor integrated with clutch assembly prevents flight breakages and maintains conveyor synchronization if products jam.
- ▼ Automatic double loaf eliminator for efficient operation.
- ▼ Optional automatic hone assembly ensure blades remain sharp for maximum reliability.
- ▼ Chromed backing rollers maintain blade stability through slicing operation.
- ▼ Optional automatic oiling system avoids gummy build-up on blades.
- ▼ Automatic blade spacing mechanism allows recipe driven motorized slice thickness adjustments.
- ▼ Micro mist separator filtration (up to 0.01  $\mu\text{m}$ , 99.9 % filtered particle size) meeting ISO 8573.1 air quality regulations for direct food contact.
- ▼ New design and more powerful, optional crumb blower improves loaf packaging quality.
- ▼ Internal lighting approved for food industry applications.
- ▼ Optional 7.5 hp motor, blades and drums cleaning system available for fruit or gluten-free breads.
- ▼ Saber 75 Band Slicer is available with different options to suit your product specifications. Wide model available.




Flight Pusher Infeed Conveyor with Clutch Drive




Optional Automatic Hone Assembly




Chromed Backing Rollers



Optional Crumb Blower




Easy Blade Removal and Replacement Cantilever Drum Design




Heavy Duty Self Supporting Heavy Duty Lattice Pull-out Mechanism

# DIMENSIONAL DRAWINGS



# LAYOUT HANDING



AMF IS A MARTEL FOOD GROUP COMPANY

AMF's focus on continuous improvement may result in changes to machinery specifications without notice.