



APEX 60 Band Slicer

Designed for safety and maximum sanitation access, the high-quality bread slicer uses the most reliable blade spacing system for continuous slicing production.



DESIGN INNOVATIONS

With over 50 years of experience in slicing innovation, the APEX 60 Band Slicer offers maximum flexibility and reliability for slicing in a continuous flow keeping final product quality in mind. Using electronic synchronization, the 60 Slicer integrates seamlessly with AMF's complete bread packaging systems.

SAFETY

A last loaf pusher ensures operator safety. The broken blade detection system and high efficiency brake motor promptly stop blades in emergency situations.

SANITATION

Designed with corrosion resistant steel-it painted steel frame and stainless steel guards. Open frame design maximizes access for routine sanitation and maintenance. Motors offer high crumb ingress protection for reliable service.

QUALITY

Hansaloy heavy-duty lattice mechanism allows the lattice to open evenly, 3/8" up to 5/8" (10mm to 16mm) across the entire width. Multiple blade guide selections to adapt to different product requirements. Automatic hone assembly ensures ultimate slicing quality for standard breads. Automatic pneumatic blade tensioning system maintains constant blade tension.

SIMPLICITY

Featured with a continuous infeed conveyor using high friction bottom and side belt surfaces for smooth operation and lower maintenance.




APEX 60 Band Slicer shown with optional infeed extension integrated to APEX 60 Bread Bagger


Precision Slicing Up to 60 LPM

OTHER ADVANTAGES


- ▼ Automatic double loaf eliminator for efficient operation.
- ▼ Optional automatic hone assembly ensures blades remain sharp for maximum reliability.
- ▼ Chromed backing rollers maintain blade stability through slicing operation.
- ▼ Optional automatic oiling system avoids gummy build up on blades.
- ▼ Micro mist separator filtration (up to 0.01 μm , 99.9 % filtered particle size) meeting ISO 8573.1 air quality regulations for direct food contact.
- ▼ New design and more powerful, optional crumb blower improves loaf packaging quality.
- ▼ Internal lighting approved for food industry applications.
- ▼ Optional belt infeed conveyor extension matches exact existing Micro-75 Slicer footprint.
- ▼ Available with different options to suit your product specifications.




Optional Automatic Hone Assembly




Optional Automatic Oiling System




Last Loaf Pusher



Heavy Duty Lattice Mechanism




Optional Crumb Blower



Optional Belt Infeed Conveyor Extension

DIMENSIONAL DRAWING



LAYOUT HANDING

